





## 8000 SERIES DEVICE OUTSIDE TRIMS

### 88L /88E SERIES – ESCUTCHEON LEVERS (FOR WIDE STILE DEVICES)

#### Features

- Non-handed, easily install with exit device.
- Easy operating lever handle allows convenient one hand operation.
- Trim has 4 through-bolts to the device chassis directly for more security and durability.
- It fits 1-3/4"(44mm) door standard. For 2"(51mm) and 2-1/4"(57mm) thick door or the shim-mounted exit device, specify the door thickness when ordering.
- 88L Series Escutcheons are forged bronze and the levers are zinc alloy casting.
- 88E trims which are used for mortise lock exit devices only, are not available to be ordered individually. They must be packed together with a mortise lock exit device.
- Clutch freewheeling design. The lever rotates when the door is locked preventing excessive force from being applied to the horizontal lever. It can decrease the lever to be broken or damaged.
- Finishes: US3(605), US4(606), US10(612), US10B(613), US26(625), US26D(626), US28(689), US32D(630)

#### Models and Functions

	Key Locks & Unlocks Lever	Lever Always Active (No Cylinder)	Key Retracts Latchbolt (Rigid Lever)	Pull When Dogged (Rigid Lever)
Operation Options  <i>*Dummy trim is not recommended for the fire device.</i>				
Function	Classroom	Passage	Storeroom	Dummy
Trim Designation	Cylinder Escutcheon Lever	Blank Escutcheon Lever	Night Latch Escutcheon Lever	Dummy Escutcheon Lever
Model Number & Use	<b>88L01A</b>	<b>88L01B</b>	<b>88L01C</b>	<b>88L01D</b>
	For Rim, Surface / Concealed Vertical Rod and LBR Exit Devices Use Escutcheon Plate Size: 9 7/16" x 2 15/16" x 13/16" (240mm x 75mm x 21mm)			
	<b>88E01A</b>	<b>88E01B</b>	<b>88E01C</b>	<b>88E01D</b>
	For Mortise Lock Exit Devices Use Only Escutcheon Plate Size: 8" x 2 9/16" x 1/2" (203mm x 65mm x 12.5mm)			
ANSI Function	08	14	09	02
Cylinder Type	1-1/4" Mortise	—	Rim	—

#### Note

- When need to meet the key requirement, the trims may receive cylinders from other manufacturers.
- Cylinder is not furnished standard. Specify cylinder type (RC- Regular Cylinder, IC- Interchangeable Core, NC- No Cylinder) when the cylinder is required.

#### Optional Lever Design



**88L01A**  
#01 Lever



**88L05A**  
#05 Lever



**88L17A**  
#17 Lever

#### Cylinder Options

The cylinder has two types as shown below. The model numbers and IC cylinder option, see page 32.



**Mortise Cylinder**  
#526



**Rim Cylinder**  
#426

