





8000 SERIES DEVICE OUTSIDE TRIMS

86P SERIES — PULL PLATE (FOR WIDE STILE EXIT DEVICES)

Features

- Non-handed design. Easy installation with exit device.
- Trim features through-bolts that connect directly to the device chassis for enhanced security and durability.
- 86P Series Pull Plates are made of stainless steel with zinc alloy cast thumbpiece and handles.
- Fits standard 1-3/4" (44mm) doors. For 2" (51mm) and 2-1/4" (57mm) thick doors or shim-mounted exit devices, specify door thickness when ordering.
- Finishes: US3, US4, US10, US10B, US15, US26, US26D, US28, US32D


Models and Functions

Operation Options	Key Locks & Unlocks Thumbpiece	Lever Always Active (No Cylinder)	Key Retracts Latchbolt	Pull When Dogged
<i>*A dummy trim is not recommended for the fire device.</i>				
Function	Classroom	Passage	Night Latch	Dummy
Trim Designation	Cylinder Pull Plate with Thumbpiece	Blank Pull Plate with Thumbpiece	Cylinder Pull Plate	Dummy Pull Plate
Model Number & Use	86P-5A	86P-5B	86P-5C	86P-5D
	For Rim, Surface Vertical Rod and LBR Exit Devices Use			
	86P-6A	86P-6B	86P-6C	86P-6D
	For Concealed Vertical Rod Exit Devices Use			
Pull Plate Size	14 1/16" x 3" x 3/32" (373mm x 76mm x 2mm)		14" x 3" x 3/32" (355mm x 76mm x 2mm)	
ANSI Function	05	15	03	02
Cylinder Type	1-1/4" Mortise	—	Rim	—

Note

- When needed to meet keying requirement, the trims may accept cylinders from other manufacturers.
- Cylinders are not furnished as standard. Specify cylinder type (RC- Regular Cylinder, IC- Interchangeable Core, NC- No Cylinder) when a cylinder is required.
- To inquire about or order for 86P Series trims, specify as follows:

Example:







8000 SERIES DEVICE OUTSIDE TRIMS

84P SERIES — PULL PLATE (FOR NARROW STILE EXIT DEVICES)

Features

- Non-handed design. Easy installation with exit device.
- Trim features through-bolts that connect directly to the device chassis for enhanced security and durability.
- 84P Series Pull Plates are made of stainless steel with zinc alloy cast thumbpiece and handles.
- Fits standard 1-3/4"(44mm) doors. For 2"(51mm) and 2-1/4"(57mm) thick doors or shim-mounted exit devices, specify door thickness when ordering.
- Finishes: US3, US4, US10, US10B, US15, US26, US26D, US28, US32D

Models and Functions

Operation Options	Key Locks & Unlocks Thumbpiece	Lever Always Active (No Cylinder)	Key Retracts Latchbolt	Pull When Dogged
<i>*Dummy trim is not recommended for the fire device.</i>				
Function	Classroom	Passage	Night Latch	Dummy
Trim Designation	Cylinder Pull Plate with Thumbpiece	Blank Pull Plate with Thumbpiece	Cylinder Pull Plate	Dummy Pull Plate
Model Number & Use	84P-5A	84P-5B	84P-5C	84P-5D
	For Rim and Surface Vertical Rod Exit Devices Use			
	84P-6A	84P-6B	84P-6C	84P-6D
	For Concealed Vertical Rod Exit Devices Use			
Escutcheon Plate Size	14 11/16" x 1 25/32" x 3/32" (373mm x 45mm x 2mm)		14" x 1 25/32" x 3/32" (355mm x 45mm x 2mm)	
ANSI Function	05	15	03	02
Cylinder Type	1-1/4" Mortise	—	Rim	—

Note

- When needed to meet keying requirement, the trims may accept cylinders from other manufacturers.
- Cylinders are not furnished as standard. Specify cylinder type (RC- Regular Cylinder, IC Interchangeable Core, NC- No Cylinder) when a cylinder is required.
- To inquire about or order for 84P Series trims, specify: model series no., lever design no., function code (A, B, C or D), cylinder type, and US finish code.

Example: **84P-5A-RC-US26D**